

DECLARATION OF PERFORMANCE

ACCORDING TO ANNEX III OF THE REGULATION (EU) N° 305/2011

TREMCO
Lasting Performance

No. CS375 – 20170912

- 1. Unique identification code of the product-type:** CS375
- 2. Intended use/es:** Cement screed material for use internally in buildings – EN 13813:2002
- 3. Manufacturer:** tremco illbruck Limited, Coupland Road, Hindley Green, Wigan, WN2 4HT
- 5. System/s of AVCP:** System 4 (for internal uses)
- 6a. Harmonised standard:** EN 13813:2002 (CT-C35-F9)-AR2

Notified body/ies: Not relevant

7. Declared performance/s:

EN 13813:2002 (Cement screed material for use internally in buildings (wearing surfaces))

Essential Characteristic	Performance	Harmonised Technical Specification
Release of corrosive substances	CT	EN 13813:2002
Compressive strength	C35	EN 13813:2002
Flexural strength	F9	EN 13813:2002
Wear Resistance	AR2	EN 13813:2002
Reaction to fire	BFL-s1	EN 13813:2002
Water Permeability	NPD	EN 13813:2002

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

M. Liptrot, Business Unit Director Sealants & Coatings

At Wigan on 12 September 2017

Annex:

According to Art. 6 (5) of the Regulation (EU) No. 305/2011 a Safety Data sheet according Regulation (EU) No. 1907/2006 (REACH), Annex II is available on the website to support this Declaration of Performance.

DECLARATION OF PERFORMANCE

ACCORDING TO ANNEX III OF THE REGULATION (EU) N° 305/2011

TREMCO

CE	
tremco illbruck Limited, Coupland Road, Hindley Green, Wigan. WN2 4HT UK 17 CS375 – 20170912 tremco-europe.com/CS375/	
EN 13813:2002 Cement screed material for use internally in buildings (non-wearing surfaces)	
Essential Characteristic	Performance
Release of corrosive substances	CT
Compressive strength	C35
Flexural strength	F9
Wear Resistance	AR2
Reaction to Fire	BFL –s1
Water Permeability	NPD