

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 14.01.2019

Version number 4

Revision: 14.01.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· Trade name: **TREMCO CS900 B**

· **MSDS code:** W-T-CS900B

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**  
Restricted to professional users.

· **Application of the substance / the mixture**

Epoxy curing agent  
Additional component

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

tremco illbruck Ltd  
Coupland Road, Hindley Green, Wigan, WN2 4HT  
Tel: +44 (0) 1942251400, Fax: +44 (0) 1942251410  
msds@tremco-illbruck.com

· **Further information obtainable from:**

tremco illbruck Ltd  
Coupland Road, Hindley Green, Wigan, WN2 4HT  
T: +44 (0) 1942251400, F: +44 (0) 1942251410  
www.tremco-illbruck.co.uk, uk.info@tremco-illbruck.com

· **1.4 Emergency telephone number:**

During office hours tel.: +44 (0) 1942251400. At all other times it is recommended to call NHS 111 (England/Wales/Scotland), 01 809 2166 (ROI), or otherwise to contact a doctor.

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Acute Tox. 4	H302	Harmful if swallowed.
Acute Tox. 4	H332	Harmful if inhaled.
Skin Corr. 1B	H314	Causes severe skin burns and eye damage.
Eye Dam. 1	H318	Causes serious eye damage.
Skin Sens. 1	H317	May cause an allergic skin reaction.
Repr. 2	H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
Aquatic Acute 1	H400	Very toxic to aquatic life.
Aquatic Chronic 3	H412	Harmful to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05 GHS07 GHS08 GHS09

(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 14.01.2019

Version number 4

Revision: 14.01.2019

**Trade name: TREMCO CS900 B**

(Contd. of page 1)

- **Signal word** Danger
- **Contains:**  
isophorone diamine  
Benzyl alcohol  
4-nonylphenol, branched  
2,4,6-tris(dimethylaminomethyl)phenol
- **Hazard statements**  
H302+H332 Harmful if swallowed or if inhaled.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.  
H410 Very toxic to aquatic life with long lasting effects.
- **Precautionary statements**  
P201 Obtain special instructions before use.  
P260 Do not breathe mist/vapours/spray.  
P273 Avoid release to the environment.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313 IF exposed or concerned: Get medical advice/attention.
- **Directive 2004/42/CE on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC**  
VOC 2004/42/CE (A / j) = <500 g/l  
Content of ready to use, mixed product = 185 g/l
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

- **Dangerous components:**

CAS: 2855-13-2 EINECS: 220-666-8	isophorone diamine Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Sens. 1, H317; Aquatic Chronic 3, H412	30-<50%
CAS: 100-51-6 EINECS: 202-859-9	Benzyl alcohol Acute Tox. 4, H302; Acute Tox. 4, H332	30-<50%
CAS: 84852-15-3 EINECS: 284-325-5	4-nonylphenol, branched Repr. 2, H361fd; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Acute Tox. 4, H302	20-<30%

(Contd. on page 3)

GB

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 14.01.2019

Version number 4

Revision: 14.01.2019

**Trade name: TREMCO CS900 B**

(Contd. of page 2)

CAS: 64742-47-8 EINECS: 265-149-8	Distillates (petroleum), hydrotreated light ; Kerosine - unspecified Asp. Tox. 1, H304	5-<10%
CAS: 90-72-2 EINECS: 202-013-9	2,4,6-tris(dimethylaminomethyl)phenol Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Chronic 3, H412	1-<5%

- **SVHC**

CAS: 84852-15-3	4-nonylphenol, branched
-----------------	-------------------------

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**

- **General information:**

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out of danger area and lay down.

- **After inhalation:**

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- **After skin contact:**

Immediately rinse with water.

Seek immediate medical advice.

- **After eye contact:**

Rinse opened eye for several minutes under running water.

Seek immediate medical advice.

- **After swallowing:**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Seek immediate medical advice.

- **4.2 Most important symptoms and effects, both acute and delayed**

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Harmful by inhalation.

Harmful if swallowed.

Headache

Dizziness

Nausea

- **Information for doctor:** No further relevant information available.

- **Hazards** No further relevant information available.

- **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**

- **Suitable extinguishing agents:**

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- **For safety reasons unsuitable extinguishing agents:** Water with full jet

- **5.2 Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 4)

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 14.01.2019

Version number 4

Revision: 14.01.2019

**Trade name: TREMCO CS900 B**

(Contd. of page 3)

Carbon monoxide (CO)

Nitrogen oxides (NOx)

- **5.3 Advice for firefighters**

- **Protective equipment:**

Mouth respiratory protective device.

Wear self-contained respiratory protective device.

- **Additional information**

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Avoid contact with the eyes and skin.

Keep away from ignition sources.

- **6.2 Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

- **6.3 Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Use neutralising agent.

Dispose of contaminated material as waste according to Section 13.

Ensure adequate ventilation.

- **6.4 Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

Ensure good ventilation/exhaustion at the workplace.

Avoid contact with the eyes and skin.

When the product is mixed, it is recommended to be used in less than 20 minutes.

Pregnant women should strictly avoid inhalation or skin contact.

Do not eat, drink, smoke or sniff while working.

Do not breathe vapour.

The usual precautionary measures are to be adhered to when handling chemicals.

- **Information about fire - and explosion protection:** Keep ignition sources away - Do not smoke.

- **7.2 Conditions for safe storage, including any incompatibilities**

- **Storage:**

- **Requirements to be met by storerooms and receptacles:**

Store only in unopened original receptacles.

Store in a cool location.

Provide ventilation for receptacles.

- **Information about storage in one common storage facility:**

Store away from reducing agents.

Protect from heat and direct sunlight.

(Contd. on page 5)

**Trade name: TREMCO CS900 B**

(Contd. of page 4)

- **Further information about storage conditions:**  
Protect from frost.  
Protect from humidity and water.  
Store receptacle in a well ventilated area.  
Storage temperature: +5°C to +25°C  
Keep container tightly sealed.
- **7.3 Specific end use(s)** No further relevant information available.

## SECTION 8: Exposure controls/personal protection

### · 8.1 Control parameters

- **Ingredients with limit values that require monitoring at the workplace:**

**CAS: 64742-47-8 Distillates (petroleum), hydrotreated light ; Kerosine - unspecified**

OEL	Short-term value: 1200 mg/m <sup>3</sup> , 165 ppm Long-term value: 200 mg/m <sup>3</sup>
-----	--

- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**  
Do not eat, drink, smoke or sniff while working.  
Keep away from foodstuffs, beverages and feed.  
Immediately remove all soiled and contaminated clothing  
Wash hands before breaks and at the end of work.  
Avoid contact with the eyes and skin.  
Do not breathe vapour.  
Pregnant women should strictly avoid inhalation or skin contact.  
Use skin protection cream for skin protection.
- **Respiratory protection:**  
In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
Use only in well-ventilated areas.  
Filter A/P2  
For further guidance,  
please refer to HSE HSG53 "Respiratory Protective Equipment at work - A Practical Guide".
- **Protection of hands:**



Protective gloves

- **Material of gloves**

Nitrile rubber, NBR  
Neoprene gloves  
PVC gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

(Contd. on page 6)

# Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 14.01.2019

Version number 4

Revision: 14.01.2019

**Trade name: TREMCO CS900 B**

(Contd. of page 5)

- **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye protection:**



Tightly sealed goggles

- **Body protection:**



Protective work clothing

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

Form:	Liquid
Colour:	According to product specification
Odour:	Amine-like

pH-value at 20 °C:	11
Melting point/freezing point:	Alkaline
Initial boiling point and boiling range:	Undetermined.
	175 °C

Flash point:	>70 °C
--------------	--------

Explosive properties:	Product does not present an explosion hazard.
-----------------------	---

Vapour pressure at 20 °C:	0.08 mmHg
---------------------------	-----------

Density at 20 °C:	0.96 g/cm <sup>3</sup>
-------------------	------------------------

Solubility in / Miscibility with water:	Insoluble.
---	------------

Viscosity:	
Dynamic at 20 °C:	30 mPas

Solvent content:	
VOC (EU)	185 g/l (mixed product)

9.2 Other information	No further relevant information available.
-----------------------	--

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** Stable

- **10.2 Chemical stability**

- **Thermal decomposition / conditions to be avoided:**

No decomposition if used according to specifications.

(Contd. on page 7)

# Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 14.01.2019

Version number 4

Revision: 14.01.2019

**Trade name: TREMCO CS900 B**

(Contd. of page 6)

- **10.3 Possibility of hazardous reactions**

Forms heat.  
Exothermic reaction.  
Reacts with strong acids and oxidising agents.  
Reacts with peroxides.

- **10.4 Conditions to avoid**

Water / moisture.  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- **10.5 Incompatible materials:**

May be corrosive to metals.  
Reacts with various metals.  
Reacts with peroxides.  
Reacts with acids.  
Reacts with oxidising agents.

- **10.6 Hazardous decomposition products:**

Nitric acid (HNO<sub>3</sub>)  
Nitrogen oxides  
Ammonia  
Aldehyde  
Carbon monoxide and carbon dioxide  
Hydrocarbons

## SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**

- **Acute toxicity**

Harmful if swallowed or if inhaled.

- **LD/LC50 values relevant for classification:**

**CAS: 2855-13-2 isophorone diamine**

Oral	LD50	1,000 mg/kg (rat)
------	------	-------------------

**CAS: 100-51-6 Benzyl alcohol**

Oral	LD50	1,230 mg/kg (rat)
Dermal	LD50	2,000 mg/kg (rabbit)
Inhalative	LC50/4 h	>4,178 mg/L (rat)

**CAS: 90-72-2 2,4,6-tris(dimethylaminomethyl)phenol**

Oral	LD50	1,670 mg/kg (rat)
------	------	-------------------

- **Primary irritant effect:**

- **Skin corrosion/irritation**

Causes severe skin burns and eye damage.

- **Serious eye damage/irritation**

Causes serious eye damage.

- **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

- **Additional toxicological information:** Causes burns.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

(Contd. on page 8)

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 14.01.2019

Version number 4

Revision: 14.01.2019

Trade name: TREMCO CS900 B

(Contd. of page 7)

- **Reproductive toxicity**  
Suspected of damaging fertility. Suspected of damaging the unborn child.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:**  
Very toxic to aquatic life.  
Harmful to aquatic life with long lasting effects.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxicological effects:**
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system, even in small quantities.  
Must not reach sewage water or drainage ditch undiluted or unneutralised.  
Also poisonous for fish and plankton in water bodies.  
Very toxic for aquatic organisms
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Disposal must be made according to official regulations.  
Can be disposed of with household garbage after solidification following consultation with the waste disposal facility operator and the pertinent authorities and adhering to the necessary technical regulations.  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

#### · European waste catalogue

08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
HP 6	Acute Toxicity
HP 8	Corrosive
HP 10	Toxic for reproduction
HP 13	Sensitising
HP 14	Ecotoxic

(Contd. on page 9)

GB



# Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 14.01.2019

Version number 4






Revision: 14.01.2019

Trade name: TREMCO CS900 B

(Contd. of page 8)

- **Uncleaned packaging:**
- **Recommendation:**  
Dispose of packaging according to regulations on the disposal of packagings.  
Packagings that may not be cleansed are to be disposed of in the same manner as the product.  
Non contaminated packagings may be recycled.

## SECTION 14: Transport information

- |   |  |
|---|--|
| <ul style="list-style-type: none"> <li>· <b>14.1 UN-Number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>   | UN2735   |
| <ul style="list-style-type: none"> <li>· <b>14.2 UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG</b></li> <li>· <b>IATA</b></li> </ul> | 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (ISOPHORONEDIAMINE, 4-nonylphenol, branched), ENVIRONMENTALLY HAZARDOUS AMINES, LIQUID, CORROSIVE, N.O.S. (ISOPHORONEDIAMINE, 4-nonylphenol, branched), MARINE POLLUTANT AMINES, LIQUID, CORROSIVE, N.O.S. (ISOPHORONEDIAMINE, 4-nonylphenol, branched) |
| <ul style="list-style-type: none"> <li>· <b>14.3 Transport hazard class(es)</b></li> <li>· <b>ADR</b></li> </ul>  | <div style="display: flex; align-items: center; gap: 10px;">   </div> <p>8 (C7) Corrosive substances.</p>                |
| <ul style="list-style-type: none"> <li>· <b>IMDG</b></li> </ul>   | <div style="display: flex; align-items: center; gap: 10px;">   </div> <p>8 Corrosive substances.</p>                     |
| <ul style="list-style-type: none"> <li>· <b>IATA</b></li> </ul>   | <div style="display: flex; align-items: center; gap: 10px;">  </div> <p>8 Corrosive substances.</p>   |

(Contd. on page 10)

GB

# Safety data sheet

## according to 1907/2006/EC, Article 31



Printing date 14.01.2019

Version number 4

Revision: 14.01.2019

**Trade name: TREMCO CS900 B**

(Contd. of page 9)

<ul style="list-style-type: none"> <li>· <b>14.4 Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>	III
<ul style="list-style-type: none"> <li>· <b>14.5 Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> <li>· <b>Special marking (ADR):</b></li> </ul>	Product contains environmentally hazardous substances: Yes Symbol (fish and tree) Symbol (fish and tree)
<ul style="list-style-type: none"> <li>· <b>14.6 Special precautions for user</b></li> <li>· <b>Danger code (Kemler):</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Segregation groups</b></li> <li>· <b>Stowage Category</b></li> <li>· <b>Segregation Code</b></li> </ul>	Warning: Corrosive substances. 8 F-A,S-B Alkalis A SG35 Stow "separated from" acids.
<ul style="list-style-type: none"> <li>· <b>14.7 Transport in bulk according to Annex II of Marpol and the IBC Code</b></li> </ul>	Not applicable.
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>	
<ul style="list-style-type: none"> <li>· <b>ADR</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> <li>· <b>Transport category</b></li> <li>· <b>Tunnel restriction code</b></li> </ul>	5 Code: E 3 E
<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	5 Code: E
<ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>	UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (ISOPHORONEDIAMINE, 4-NONYLPHENOL, BRANCHED), 8, III, ENVIRONMENTALLY HAZARDOUS

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

"CLP" Regulation (EC) No 1272/2008 (OJ L 353, 31.12.2008, p.1).

"REACH" Regulation (EC) No 1907/2006 (OJ L 396, 30.12.2006, p.1, with subsequent amendments).

COMMISSION REGULATION (EU) 2015/830 of 28 May 2015.

HSE EH40/2005 Workplace Exposure Limits (as amended)

Guidance on the classification and assessment of waste | Technical Guidance WM3 (1st edition 2015)

Directive 2004/42/CE of the European Parliament and of the Council of 21 April 2004 on the limitation of emissions of volatile organic compounds due to the use of organic solvents in certain paints and varnishes and vehicle refinishing products and amending Directive 1999/13/EC

2001/118/EC as regards the list of wastes

2008/98/EC on waste

- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

(Contd. on page 11)

## Safety data sheet

### according to 1907/2006/EC, Article 31

Printing date 14.01.2019

Version number 4

Revision: 14.01.2019

**Trade name: TREMCO CS900 B**

(Contd. of page 10)

- **Regulation (EU) No 649/2012**

CAS: 84852-15-3 | 4-nonylphenol, branched

Annex I Part 1  
Annex I Part 2

- **National regulations:**

- **Information about limitation of use:**

Employment restrictions concerning juveniles must be observed.

Employment restrictions concerning pregnant and lactating women must be observed.

- **Other regulations, limitations and prohibitive regulations**

- **Substances of very high concern (SVHC) according to REACH, Article 57**

CAS: 84852-15-3 | 4-nonylphenol, branched

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

- **Department issuing SDS:**

Prepared and verified in accordance with "REACH" Regulation (EC) No 1907/2006, Annex II, Part A, 0.2.3.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

SVHC: Substances of Very High Concern

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Repr. 2: Reproductive toxicity – Category 2

Asp. Tox. 1: Aspiration hazard – Category 1

(Contd. on page 12)

**Safety data sheet**  
according to 1907/2006/EC, Article 31



Printing date 14.01.2019

Version number 4

Revision: 14.01.2019

**Trade name: TREMCO CS900 B**

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

(Contd. of page 11)

· \* **Data compared to the previous version altered.**

GB